

## Tetroxy LA 20%

Injectable Solution Containing Oxytetracycline Dihydrate 20%

### COMPOSITION

A long acting Oxytetracycline solution for injection containing 200mg Oxytetracycline Dihydrate per ml.

### Indications

For the treatment and control of diseases in cattle, sheep, goats and pigs caused by or associated with organisms sensitive to oxytetracycline. These include:

- Pasteurella spp.*
- Salmonella spp.*
- Escherichia coli.*
- Listeria spp.*

### CONTRAINDICATIONS

Do not use in cats, dogs, horses and donkeys.

### DOSAGE AND ADMINISTRATION

By deep intramuscular injection.

To ensure a correct dose, bodyweight should be as accurate as possible.

1 ml per 10 kg bodyweight (20 mg per kg bodyweight).

Maximum volume per injection site.

- Cattle: 10 ml
- Sheep: 10 ml
- Goats: 10 ml
- Pigs: 10 ml
- Pigs less than 10 kg, maximum dose 1 ml.

One treatment is usually sufficient because of the sustained blood levels attained at the above dosage rates.

### WITHDRAWAL PERIOD

Meat

Pigs: 21 days.

Cattle, Sheep & Goats: 28 days.

Milk: 7 days

Do not use in Sheep producing milk for human consumption.

### STORAGE

- Store below 25°C
- Protect from light
- Use the product within 28 days following withdrawal of the first dose.
- Keep out of reach of children.
- Use a sterile needle and syringe.
- For animal treatment only.

**LEGAL CATEGORY: POM**

